

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3	((field and type) with (union struct)) and (subtype near8 type) and ((attribute parameter) near8 (method function)) and (tuple enumeration annotation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:23
S2	7	(cartesian adj product) same (tuple and domain)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:06
S3	1	MOF.ab. and ((COM Corba) near IDL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:06
S4	5	("5596746" "5787437" "6253366" "6292932" "6343265").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/11 14:07
S5	0	("6711734").URPN.	USPAT	OR	OFF	2007/01/11 14:07
S6	1	S4 and (struct union)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:09
S7	3	(MOF.ab. or MOF.clm.) and (struct structure union) and (enumeration subtype)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:51
S8	0	((convert\$4 adapt\$4 translat\$4) same (model and another)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:52
S9	136	((convert\$4 adapt\$4 translat\$4 mapp\$4) same (model)),ab. and (MOF UML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 14:53

EAST Search History

S10	1	S9 and IDL and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:25
S11	27	S9 not S10 and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:25
S12	252	("Java.rtm" "net.rtm") and (model same (convert\$4 translat\$4 mapp\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:22
S13	0	((field and type) with (union struct)) and (subtype type) and ((attribute parameter) near8 (method function)) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:23
S14	0	((field and type) same (subtype union)) and ((attribute parameter) near8 (method function)) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:24
S15	58	((field and type) and (subtype union enumerat\$4 structure)) and ((attribute parameter) near8 (method function)) and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 15:24
S16	20	S15 and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:05
S17	38	S15 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:14

EAST Search History

S18	0	".net" and ".rtm" and ASML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:14
S19	1	"net.rtm" and ASML	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:18
S20	4	"net.rtm" and metadata and (class same (parameter attribute method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:21
S21	42	"sun.rtm" and metadata and (class same (parameter attribute method))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:21
S22	36	S21 and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 16:26
S23	2	"20030105887".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:08
S24	0	S22 and (annotat\$4 with object) and (information with manager)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:08
S25	17	S22 and (annotat\$4 with (object information manager structure))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:11

EAST Search History

S26	0	S22 and (annotat\$4.clm. or annotat\$4.ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/11 17:11
S27	2	"20030185301".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 09:51
S28	2	"20050065977".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 09:57
S29	185	metadata and "Java.RTM"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 09:59
S30	7	S29 and discovery and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:03
S31	16	"RTM" and XML and discovery and annotat\$4 and ((code application) with (request client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:25
S33	11	S31 and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:40
S34	2	"6826568".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:10

EAST Search History

S35	11	S33 and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:35
S40	38	"RTM" and annotat\$4 and discover\$4 and metadata and (XML ((enumerat\$4 inheritance) (union tuple subtype)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:40
S41	15	S40 and @rlad<="20030827" not (S30 or S35)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:37
S42	59	S29 and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:35
S43	50	S42 and metadata and (XML ((enumerat\$4 inheritance) (union tuple subtype)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:43
S44	2	"6990513".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:59
S45	2	"20050262091".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 10:59
S46	136	(metadata near4 annotation) and ((class function code application interface) with (parameter attribute method type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:01

EAST Search History

S47	3	S46 and ("RTM" XML) and discovery and @rlad<"20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:35
S48	1	"RDF" and (XML metadata learning) and (discovery retrieval) and annotat\$4 and ((code application) with (request client)) and (annotation with (class user-defined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:29
S49	347	"RDF" and (XML metadata learning) and (discovery retrieval) and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:29
S50	1	"RDF" and ((database query) and (RMI API interface)) and ((code application) with (request client)) and (annotation with (class user-defined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:30
S51	624	"RDF" and ((database query) and (RMI API interface)) and ((code application) with (request client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:30
S52	128	metadata and (annotation same (class user-defined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:32
S53	230	(S49 and S51) and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:35
S54	31	S52 and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:35

EAST Search History

S55	2	S53 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:40
S56	11	S53 and (union inheritance and enumeration) and (subcomponent subclass subtype subfield)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:41
S57	2	S54 and (union inheritance enumeration) and (subcomponent subclass subtype subfield)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:42
S58	12	S56 or S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:42
S59	9	S58 not Saba.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 11:46
S60	1	S58 not S59 and (code program application Java).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:50
S61	0	(Hunter and Lagoze).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:50
S62	2	(Hunter Lagoze).in. and (RDF XML) and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:52

EAST Search History

S63	75	schema and (application near4 (profile namespace)) and (RDF XML) and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:53
S64	136	(metadata near4 annotation) and ((class function code application interface) with (parameter attribute method type))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:53
S65	347	"RDF" and (XML metadata learning) and (discovery retrieval) and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:53
S66	624	"RDF" and ((database query) and (RMI API interface)) and ((code application) with (request client))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:53
S67	128	metadata and (annotation same (class user-defined))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:53
S68	230	(S65 and S66) and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:54
S69	887	(S66 S68 S64 S67 S65)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:53
S70	5	(S63 and S69) and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 13:54

EAST Search History

S71	21	(US-20040201600-\$ or US-20030188293-\$ or US-20050038816-\$ or US-20040081308-\$ or US-20030133556-\$ or US-20030105887-\$ or US-20060230124-\$ or US-20050027681-\$ or US-20040221260-\$ or US-20040221256-\$ or US-20050114771-\$ or US-20030126136-\$ or US-20020049788-\$).did. or (US-6711734-\$ or US-6292932-\$ or US-5787437-\$ or US-7072934-\$ or US-7107592-\$ or US-6769124-\$ or US-6826568-\$ or US-6990513-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/01/12 15:52
S72	0	S71 and "RTM" and metadata and annotation and predicate	US-PGPUB; USPAT	OR	OFF	2007/01/12 14:34
S73	1	S71 and "RDF" and metadata and annotation and predicate	US-PGPUB; USPAT	OR	OFF	2007/01/12 14:34
S74	21	(US-20040201600-\$ or US-20030188293-\$ or US-20050038816-\$ or US-20040081308-\$ or US-20030133556-\$ or US-20030105887-\$ or US-20060230124-\$ or US-20050027681-\$ or US-20040221260-\$ or US-20040221256-\$ or US-20050114771-\$ or US-20030126136-\$ or US-20020049788-\$).did. or (US-6711734-\$ or US-6292932-\$ or US-5787437-\$ or US-7072934-\$ or US-7107592-\$ or US-6769124-\$ or US-6826568-\$ or US-6990513-\$). did.	US-PGPUB; USPAT	OR	OFF	2007/01/12 15:52
S75	4	S74 and annotat\$4 and "Java.RTM"	US-PGPUB; USPAT	OR	OFF	2007/01/12 16:01
S76	1	"6678889".pn.	US-PGPUB; USPAT	OR	OFF	2007/01/12 16:01
S77	1	("6678889").URPN.	USPAT	OR	OFF	2007/01/12 16:06
S78	1	("7017147").PN.	USPAT	OR	OFF	2007/01/12 16:07
S79	1	("7017143").PN.	USPAT	OR	OFF	2007/01/12 16:07

EAST Search History

S80	35	("4899136" "5371675" "5375241" "5499335" "5546525" "5563997" "5623591" "5651108" "5694561" "5745712" "5815703" "5838317" "5844554" "5855015" "5905492" "5980090" "5983245" "6083276" "6121964" "6125385" "6252593" "6298474" "6336214" "6370141" "6393569" "6415298" "6446256" "6546419" "6560621" "6603488" "6615253" "6742165" "6754181" "6763386" "6769115").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 16:07
S81	0	S80 and ".rtm"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 16:08
S82	0	S80 and "rtm"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 16:08
S83	0	S80 and "rdf"	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 16:08
S84	4	S80 and ((knowledge information discovery) with xml)	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 16:09
S85	50	("4899136" "5127104" "5371675" "5375241" "5412717" "5499335" "5546525" "5563997" "5623591" "5651108" "5694561" "5745712" "5809230" "5815703" "5838317" "5844554" "5855015" "5884083" "5887139" "5905492" "5935210" "5980090" "5983245" "5999944" "6083279" "6121964" "6125385" "6252593" "6268852" "6298474" "6332154" "6336214" "6342907" "6348927" "6370141" "6370508" "6393569" "6415298" "6446256" "6476833" "6480855" "6546419" "6560621" "6603488" "6615253" "6678889" "6742165" "6754181" "6763386" "6769115").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/12 16:20

EAST Search History

S86	3	S85 and metadata and annotat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:22
S87	0	S85 and metadata and RTM	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:22
S88	185	annotat\$3 and metadata and ("net.rtm" "Java.RTM" "Sun.rtm" "windows.rtm")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:23
S89	79	S88 and runtime and ((metadata description knowledge information) with (retrieval discovery schema XML))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:24
S90	33	S89 and @rlad<="20030827"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:25
S91	24	S90 not (Microsoft.as. and @pd>"20030827")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:34
S92	83	(runtime same (information knowledge retrieval discovery)) and (metadata same annotat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:34
S93	70	S92 not (Microsoft.as. and @pd>"20030827")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:34

EAST Search History

S94	23	S93 and ("RTM" XML) and schema and @rlad<"20030827" and (enumeration class type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:39
S95	4	S94 and (develop\$4 same (program application code)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 16:39
S96	27	(US-20040201600-\$ or US-20030188293-\$ or US-20050038816-\$ or US-20040081308-\$ or US-20030133556-\$ or US-20030105887-\$ or US-20060230124-\$ or US-20050027681-\$ or US-20040221260-\$ or US-20040221256-\$ or US-20050114771-\$ or US-20030126136-\$ or US-20020049788-\$ or US-20020059425-\$ or US-20030229529-\$ or US-20020184401-\$).did. or (US-6711734-\$ or US-6292932-\$ or US-5787437-\$ or US-7072934-\$ or US-7107592-\$ or US-6769124-\$ or US-6826568-\$ or US-6990513-\$ or US-6678889-\$ or US-6083276-\$ or US-7153137-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/12 17:05
S97	1	S96 and (Davidson Belfiore Piehler Martin).in. and (class same method) and ((markup schema xml) and annotation and metadata)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/12 17:07

EAST Search History

S98	27	(US-20040221260-\$ or US-20040221256-\$ or US-20030229529-\$ or US-20020059425-\$ or US-20020049788-\$ or US-20030126136-\$ or US-20050114771-\$ or US-20020184401-\$ or US-20050038816-\$ or US-20050027681-\$ or US-20040201600-\$ or US-20030188293-\$ or US-20030133556-\$ or US-20030105887-\$ or US-20060230124-\$ or US-20040081308-\$).did. or (US-6678889-\$ or US-7107592-\$ or US-6769124-\$ or US-6083276-\$ or US-7153137-\$ or US-7072934-\$ or US-6990513-\$ or US-6826568-\$ or US-6711734-\$ or US-6292932-\$ or US-5787437-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/13 16:25
S99	0	S98 and annotat\$4 and Davidson. in.	US-PGPUB; USPAT	OR	OFF	2007/01/13 13:38
S10 0	1	S98 and commen\$4 and Davidson. in.	US-PGPUB; USPAT	OR	OFF	2007/01/13 14:21
S10 1	3	S98 and annotat\$4 and "rtm" and ((pars\$2 near tree) namespace)	US-PGPUB; USPAT	OR	OFF	2007/01/13 16:06
S10 2	366	framework.ab. and ((metadata discovery knowledge) near4 (module proxy service agent server)) ((annotat\$4 with (object component)) same (metadata with repository))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 16:09
S10 3	1	framework.ab. and ((metadata discovery knowledge) near7 (module proxy service agent server)) and ((annotat\$4 with (object component)) same (metadata with repository))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/13 16:25

EAST Search History

S10 4	27	(US-20040221260-\$ or US-20040221256-\$ or US-20030229529-\$ or US-20020059425-\$ or US-20020049788-\$ or US-20030126136-\$ or US-20050114771-\$ or US-20020184401-\$ or US-20050038816-\$ or US-20050027681-\$ or US-20040201600-\$ or US-20030188293-\$ or US-20030133556-\$ or US-20030105887-\$ or US-20060230124-\$ or US-20040081308-\$).did. or (US-6678889-\$ or US-7107592-\$ or US-6769124-\$ or US-6083276-\$ or US-7153137-\$ or US-7072934-\$ or US-6990513-\$ or US-6826568-\$ or US-6711734-\$ or US-6292932-\$ or US-5787437-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/01/13 16:25
S10 5	1	S104 and tuple	US-PGPUB; USPAT	OR	OFF	2007/01/13 16:25